




## KOMBINEZONY SKAFANDRY VAUTEX ELITE

<p><b>kombinezon Vautex Elite 3S-L</b></p>	<p>Vautex Elite 3S-L Kombinezony wykonane są, z wielowarstwowego materiału, który składa się z tkaniny nośnej, wielowarstwowego laminatu i powłok elastomerowych. Ochrona przed chemikaliami stałymi, płynnymi, gazowymi i oparami. Zapewnia odporność mechaniczną. Jest odporny na działanie zarówno płomieni, jak i niskich temperatur (-60oC). Część twarzowa zintegrowana z wymienną maską 3 S. Powietrze dostarczane z zewnątrz, przykładowo z aparatu oddechowego na sprężone powietrze założonego na zewnątrz kombinezonu. System podwójnych rękawiczek i wymiennych butów Najwyższa ochrona przed stałymi, ciekłymi i gazowymi substancjami chemicznymi Ochrona przed krótkim kontaktem z ogniem Wysoka odporność mechaniczna Trudne odkażanie, do 75 °C</p> <p>Normy i standardy: prEN 943, Teil 1 und 2, als Typ 1b-ET; PSA-Richtlinie.</p>	
<p><b>kombinezon Vautex Elite S</b></p>	<p><b>Vautex Elite S</b> Single piece body chemical protective suit with gas tightly attached and replaceable boots and glove system. The suit material is composed of: outside elastomer surface multilayer film laminate elastomer intermediate layer polyamide carrier fabric inside butyl surface The Vautex Elite S offers reliable protection against gases and vapours, solid and liquid chemicals as well as radioactive contamination. The Models: <b>Vautex Elite S</b> the full face mask and the compressed air breathing apparatus are worn inside the suit. <b>Vautex Elite S GALLET</b> Same suit as the Vautex Elite S but incorporating a plastic plate for helmet positioning and a shorter zipper in the head section to accommodate the MSA GALLET helmet. <b>Vautex Elite S Expert</b> The economic version for the user with seldom use, which do not require replacing the lens. For this reason the lens is firmly integrated into the suit. This reduces the weight of the head <b>Vautex Elite S Dual</b> This suit version combines the benefits of an applied compressed air line system with those of a selfcontained breathing apparatus. The Dualsystem is capable of switching from a breathing apparatus to a compressed air line system and back again. It consists of an Automatic Switch Valve [ASV] and an air distributor inside the suit. This sophisticated system ensures mobility, extended service time, comfort and enhanced safety when the air line system fails.</p>	



	<p><b>Vautex Elite S GALLET Dual</b> Same suit as the Vautex Elite S Dual but incorporating a plastic plate for helmet positioning and a shorter zipper in the head section to accommodate the MSA GALLET helmet. All suits features the following properties: high chemical resistance good mechanical stability increased resistance against flame impingement backside with removeable back padding gastight zipper integrated transponder</p> <p>Dopuszczenia i normy prEN 943, part 1 PPE directive 89/ 686/ EEC [category 3]</p> <p>High tech suit made of reinforced composite multi layer material. Deep cold (-60 °C) flexible material. BA to be carried inside suit. Visor, double-gloves-system and boots replaceable. Highest protection against solid, liquid and gaseous chemicals Protection against brief flame contact High mechanical resistance Hard decontamination, up to 75°C Integrated transponder</p> <p>Normy i standardy: prEN 943, part 1 and 2, type 1a ET; PPE directive 89/ 686/ EEC.</p>	
<p><b>kombinezon Vautex Elite ET</b></p>	<p>The Vautex Elite ET is a one piece chemical protective suit offering reliable protection against gases, vapours, solid and liquid chemicals, infective agents, as well as radio-active contamination. Vautex Elite ET features a large lense which is firmly integrated into the suit, reducing the overall weight. The gas-tight attachable and replaceable boots and gloves provide high safety and flexibility. Chemical protective suits with the special Vautex Elite material have proven themselves in recent years as the optimal solution for repeated use, even in harshest environments. Whether in fire fighting, civil defence or general industry Vautex Elite suits, together with the appropriate respiratory protection, keep the wearer safe. [Prime Features] Material combination of elastomer coated fabric and a multilayer film laminate High chemical resistance Good mechanical stability Increased resistance against flame impingement Large integrated lens reduces the weight of the head section Push buttons on the cover of the zipper allow for easy and effective decontamination Integrated transponder provides state-of-art electronic identification of the equipment Removable back padding Compressed air breathing apparatus is worn inside the suit Replaceable gloves and safety boots Optional suspender for higher wearing comfort Convenient integrated radio pocket as an option Economical trainer version available</p>	




**Biuro Obsługi Klienta 013 4324686, 0 604 151 922**

	<p>Dopuszczenia i normy PPE Directive 89/686 EEC [category 3] EN 943 [Protection against liquid and gaseous chemicals, including liquid aerosols and solid particles] – Part 1: Performance requirements for non-ventilated gas tight suits [type 1] – Part 2: Performance requirements for gastight chemical protective suits for emergency teams [type 1a ET] VFDB Directive 0801 [Selection of chemical protective suit for deployment tasks in the fire service] EN 14126 [Protection against infective agents] EN 1073 [Protection against radioactive contamination] EN 533 [Protection against heat and flame]</p>	
<p><b>kombinezon Vautex Elite M</b></p>	<p>Vautex Elite M Kombinezony wykonane są, z wielowarstwowego materiału, który składa się z tkaniny nośnej, wielowarstwowego laminatu i powłok elastomerowych. Ochrona przed chemikaliami stałymi, płynnymi, gazowymi i oparami. Zapewnia odporność mechaniczną. Jest odporny na działanie zarówno płomieni, jak i niskich temperatur (-60oC). Część twarzowa zintegrowana z wymienną maską 3 S. Powietrze dostarczane z zewnątrz, przykładowo z aparatu oddechowego na sprężone powietrze założonego na zewnątrz kombinezonu. System podwójnych rękawiczek i wymiennych butów. Najlepsza ochrona przed stałymi, ciekłymi i gazowymi substancjami chemicznymi Ochrona przed krótkim kontaktem z ogniem Wysoka odporność na uszkodzenia mechaniczne Intensywne odkażanie, do 75 °C Wyposażony w maskę 3S Dopuszczenia i normy prEN 943, część 1 i 2, typ 1a ET PPE directive 89/ 686/ EEC</p>	


NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290




Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290




Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290




Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290




Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290




Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290




Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290




Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290



Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290




Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290




Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290




Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290




Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290




Biuro Obsługi Klienta 013 4324686, 0 604 151 922



NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290



Biuro Obsługi Klienta 013 4324686, 0 604 151 922



Photo by MSA

Ceny uzyskasz w kontakcie z naszą firmą telefonicznie 013 4324686 lub 604 151 922 lub emailiem [nopex@nopex.com.pl](mailto:nopex@nopex.com.pl)

NOPEX  
Ul. Naftowa 30  
38-400 Krosno  
NIP: 684-127-38-34  
REGON: 371096030

Kontakt:  
Tel. 013 4324686  
GSM. 0 604 151 922  
GSM. 0 604 861 035  
Fax. 013 4324686

On-line:  
Email: [bhp@nopex.com.pl](mailto:bhp@nopex.com.pl)  
Website: [www.nopex.com.pl](http://www.nopex.com.pl)  
Skype: nopex\_dankros  
Gadu-Gadu: 8311290